

pricelist photographic

KIENZLE

enlargers * horizontal enlargers (HV)

* light heads and automatic filter modules * automatic enlarging easels


* reproduction columns * projectiontables * washers* drying press

* micro focus finder pro * accessories for all Kienzle and foreign enlargers

(see separate pricelists)

Enlargers

C-types




type	description	light system	cat. no.	net ex works prices , in EURO				
				C 67 100VA	C 69 100VA	C69 250VA	C120 100VA	C 120 250VA
C67 C69 C120	highly efficient compact 6x7cm/6x9cm/ 4x5"-enlargers in metal constructions: modular systems for color, multigrade, black and white and cold light systems; interchangeable mixing chambers; negativ carrier inserts from three sides; quick fitting bayonet type panel, quick fitting glass- and metallglass- less; 100/250/340 VA head, without lenses, timer and analyser:additional price	condensor	12000- 4	1.270,-	1.622,-	1.969,-	2.342,-	3.600,-
		halogen-coldlight	12005- 9	1.040,-	1.380,-	1.722,-	2.252,-	3.455,-
		vc	12010-14	1.160,-	1.485,-	1.832,-	2.330,-	3.615,-
		color	12015-19	1.160,-	1.485,-	1.832,-	2.330,-	3.615,-
		vcc	12020-24	u.reque.	u.r.	u.r.	u.r.	u.r.
		split-vc	12025-29	2.336,-	2.620,-	3.010,-	3.235,-	4.777,-
		cvc	12030-34	1.412,-	1.740,-	2.085,-	u.r.	4.150,-
		LED-Split	12035-39	2.887,-	3.230,-	---	3.880,-	5.135,-
			12040-44					
C138	highly efficient compact 5x7" enlarger in metal construction; modular system for color, multigrade, black and white and cold light systems 250/340/500/750 VA heads	condensor	12100-2	C 138/P 250VA 4.232,-	C138/P 500VA 5.166,-	C138/T 750VA 5.890,-		
		halogen-coldlight	12110-2	3.743,-	4.630,-	5.245,-		
		vc	12120-2	4.175,-	5.208,-	6.163,-		
		color	12130-2	4.175,-	5.208,-	6.163,-		
		vcc	12140-2	u.r.	u.r.	u.r.		
		split-vc	12150-2	5.628,-	6.699,-	7.655,-		
		LED-Split	12160	6.584,-				
C252	highly efficient compact 8x10" enlarger in metal construction; modular system for color, multigrade, black and white and cold light systems 250/500/750/1000/1500 VA heads	condensor	12300-3	C252/P 250VA 6.405,-	C252/P 500VA 7.445,-	C252/T 500VA 10.530,-	C252/T 1000VA 12.075,-	
		halogen-coldlight	12310-3	4.357,-	5.397,-	7.171,-	8.715,-	
		vc	12320-3	4.788,-	5.848,-	9.125,-	11.200,-	
		color	12330-3	4.788,-	5.848,-	9.125,-	11.200,-	
		vcc	12340-3	u.r.	u.r.	u.r.	u.r.	
		split-vc	12350-3	6.237,-	7.371,-	11.035,-	12.580,-	
		LED-Split	12360	7.518,-				

A-types



type	description	light system	cat.no.	net ex works prices, in EURO				
A 35	24x36mm--autofocus enlarger, cpl. with Componon S2,8/50 lens	condensator	1000	1.300,-				
		vc	1001	1.573,-				
		color	1002	1.573,-				
		cvc (color + vc)	1003	1.714,-				
		vcc/pcc	1003.1-2	4.128,-				
		split-vc	1003.3	2.552,-				
A 67	6x7cm-enlarger, manual focus (Manual) ; autofocus Apo 90 + S 50 (AF I) or Apo 50 + Apo 90 (AF II) 100VA	condensator 6x6	2100-2102	manual 1.272,-	AF I 1.950,-	AF II 2.695,-		
		sw-diffuse 6x7	2103-2105	1.338,-	2.025,-	2.755,-		
		vc 6x7	2106-2108	1.537,-	2.233,-	2.963,-		
		color 6x7	2109-2111	1.537,-	2.233,-	2.963,-		
		cvc (color +vc)	2112-2114	1.685,-	2.370,-	3.100,-		
		vcc/pcc	2115-2117	3.940,-	4.625,-	5.365,-		
		split-vc	2118-2120	2.711,-	3.407,-	4.135,-		
A 69S	AF II 6x9cm-autofocus enlarger with 60 + 100mm - lenses in spiral screw mount simultan swivelturret. 100 oder 250VA	condensator 250VA	3100	100 VA	250VA 4.725,-			
		color	3101-1.1	5.115,-	5.507,-			
		vc	3102-2.1	5.115,-	5.507,-			
		vcc/pcc	3103- 04	-	7.875,-			
		split-vc	3105-5.1	6.011,-	6.352,-			

T-types




T 35	24x36mm-enlarger,wall projection, fan, manual focus (Manual); autofocus with S 50 or Apo 40 - lens (AF)	condensator	6050-51	manual 1.238,-	AF 1.845,-			
		b+w diffuse	6060-61	1.314,-	1.912,-			
		vc	6070-71	1.503,-	2.100,-			
		color	6080-81	1.503,-	2.100,-			
		cvc (color + vc)	6090-91	1.637,-	2.235,-			
		vcc/pcc	6095-96	3.785,-	4.382,-			
		split-vc	6097	2.625,-	3.203,-			
T 67/69	6x7 / 6x9 cm- enlarger, distortion, neg. carrier with masking, wallprojection, 250 VA, fan, manual focus (Manual); autofocus S 50 + WA 80 mm lenses (other lenses upon request), (67 AF II up to 6x7cm) ; (69 AF II up to 6x9cm); AF I upon request; 6x9cm); AF I upon request	condensator 6x7	6300-6303	T 67 1.806,-	67 AF II 3.790,-	T 69 -	69 AF II -	
		condensator 6x9	6310-6313	-	-	2.047,-	5.713,-	
		sw-diffuse 67/69	6315-6318	1.722,-	3.920,-	1.932,-	5.595,-	
		color 67/69	6320-6323	1.985,-	4.210,-	2.590,-	6.247,-	
		digitalcolor 67/69	6330-6333	2.352,-	4.583,-	3.413,-	7.082,-	
		vc 67/69	6340-6343	1.985,-	4.210,-	2.590,-	6.247,-	
		digital-vc 67/69	6350-6353	2.352,-	4.583,-	3.413,-	7.082,-	
		vccC/pcc67/69	6360-6363	4.399,-	6.482,-	5.386,-	9.040,-	
		split-vc	6363-6366	3.245,-	5.441,-	3.455,-	7.545,-	



<i>type</i>	<i>description</i>	<i>light system</i>	<i>cat. no.</i>	<i>net ex works prices, in EURO</i>				
T 912	4x5"-enlarger; distortion, wallprojection u. r., 400VA, fan; manual focus (Manual); autofocus 60 + 120 mm lenses (AF II- AF I u. r.); motorized lens + high setting (Motor); pc-controlled with autofocus + format-setting (pcc I) ; dto + aperture control system included (pcc II)	condensor sw -diffuse color digitalcolor vc digital-vc vcc pcc split-vc	7300-7304	manual	AF II	motor	PCC I	PCC II
			7310-7314	4.961,-	11.277,-	6.804,-	15.383,-	21.315,-
			7320-7324	4.358,-	10.710,-	6.280,-	--	--
			7330-7334	5.150,-	11.435,-	6.972,-	--	--
			7340-7344	6.835,-	12.999,-	8.432,-	--	--
			7350-7354	5.150,-	11.435,-	6.972,-	--	--
			7360-7364	6.835,-	12.999,-	8.432,-	--	--
			7370-7374	a.A.	15.540,-	10.878,-	19.456,-	25.390,-
			7380-82	a.A.	15.540,-	10.878,-	19.456,-	25.390,-
			7380-82	7.644,-	13.713,-	9.145,-	----	--
T 1318	13x18cm (5x7")-enlarger: distortion, wallprojection, freestanding equipment u. r. ; 750 VA, fan; manual focus + heightsetting (Manual); motorized lens + heigh setting (Motor); pc-remote-control with autofocus + format setting (PCC I); dto + aperture control system included a.s.o. (PCC II)	condensor sw-diffuse color digitalcolor vc digital-vc vcc pcc split-vc	8300-8303	manual	motor	PCC I	PCC II	
			8310-8313	6.835,-	12.050,-	19.928,-	27.907,-	
			8320-8323	6.483,-	11.690,-	19.578,-	27.558,-	
			8330-8333	8.712,-	13.919,-	--	--	
			8340-8343	9.935,-	15.142,-	--	--	
			8350-8353	8.712,-	13.919,-	--	--	
			8360-8363	9.935,-	15.142,-	--	--	
			8370-8373	14.452,-	19.665,-	--	--	
			8380-81	14.452,-	19.665,-	27.547,-	35.522,-	
			8380-81	11.974,-	17.180,-	--	--	
T2525	25x25cm/10x10"(12x12") enlarger; distortion,wallprojection, freestanding equipment u. r.; 750 or 1500 VA; fan; manual focus + height setting(Manual); motorized lens + height setting(Motor); pc-keyboard controled with autofocus + format setting (pcc I); dto + aperture control system included a.s.o. (pcc II)	condensor sw-diffus 750VA sw-diffus1500VA color 750VA color 1500VA digitalcolor 750VA digit.color1500VA vc 750VA vc 1500VA digital-vc 750VA digit.-vc 1500VA vcc 750VA vcc 1500VA pccC 750VA pcc 1500VA split-vc 750VA split-vc 1500VA LED Split	8400-8403	manual	motor	PCC I	PCC II	
			8405-8408	14.399,-	21.598,-	32.071,-	45.522,-	
			8410-8413	10.472,-	17.673,-	28.145,-	41.590,-	
			8415-8418	11.782,-	18.980,-	29.449,-	42.898,-	
			8420-8423	12.094,-	19.292,-	--	--	
			8425-8428	13.775,-	22.028,-	--	--	
			8430-8433	13.462,-	20.666,-	--	--	
			8435-8438	16.133,-	23.332,-	--	--	
			8440-8443	12.094,-	19.292,-	--	--	
			8445-8448	13.775,-	22.028,-	--	--	
			8445-8448	13.462,-	20.666,-	--	--	
			8450-8453	16.133,-	23.332,-	--	--	
			8455-8458	18.965,-	26.159,-	--	--	
			8460-8463	22.416,-	29.620,-	--	--	
			8465-8468	18.965,-	26.159,-	36.636,-	50.088,-	
			8470-8473	22.416,-	29.620,-	40.094,-	53.535-	
			8474-75	16.313,-	23.520,-	--	--	
8477-78	19.376,-	26.575,-	--	--				
8480	11.582,-	18.250,-	--	--				

Testreflex



TR 66	Manual (Testreflex) 6x6cm-enlarger, manual focusing with testreflexsystem; without lens; predestinated to schools	condensor with filterdrawer (vc + colour) VC(12V/100VA) SplitVC	5000	489,-
			5001	583,-
			5002	835,-
			5003	1.835,-

Horizontal enlarger (HV)



type	description	light system	cat.no.	net ex works prices, in EURO			
				Manual	Motor I	Motor II	PCC(u.r.)
T 25 HV	25x25cm/10x10" (12x12") horizontal modular enlarging system; manual focus + chassis drive (Manual) ; lens stage and chassis motor driven (Motor II); motorized lens stage + manual driven chassis (Motor I).; pc-keyboard controled with autofocus + format setting (PCC I) ; + aperture control system included a.s.o. (PCC II);PCC u.r.	cond. 300VA b+w-.difuse color digitalcolor vc vc-digital vcc pcc (u.r.) split-vc	8600-8603	19.042,-	24.865,-	30.680,-	
			8610-8613	15.111,-	20.937,-	26.755,-	
			8620-8623	18779,-	24.600,-	30.418,-	
			8630-8633	20.349,-	26.170,-	31.988,-	
			8640-8643	18.779,-	24.600,-	30.418,-	
			8650-8653	20.349,-	26.170,-	31.988,-	
			8660-8663	27.888,-	33.710,-	39.527,-	
			8670-8673	u.r.	u.r.	u.r.	
			8675-8678	24.218,-	30.040,-	35.857,-	

Digital Imaging



Quick Pix	Kienzle Quickpix digital reprostand	47-999 47-1000	from 1.911,- from 3.738,-
Digiprint	Kienzle Digiprint Digital exposure system for all photograhic materials		upon request

Accessories and Others

<i>type</i>	<i>description</i>	<i>cat.no.</i>	<i>net ex works prices, in EURO</i>	
negative carriers	for all neg.sizes: -glassless carriers -carriers with interchangeable inserts -cropping carriers		upon request	
glasses	-glasses Anti-Newton, frosted -normal glasses, blank, clear -scanner glasses		upon request	
glassless metal negative inserts	all sizes		upon request	
lenses	Rodenstock - lenses Schneider – lenses up to 360mm		upon request	
timer K1 timer K2 timer K3 timer A100 timer A101 timer A102 foot switch	electronic timer without probe 500 VA 750 VA 1500 VA electronic timer with probe 500 VA 750 VA 1500 VA	9550 9551 9552 9553 9554 9555 9560	277,- 344,- 404,- 366,- 430,- 490,- 58,-	
analyser Color-Star CS 3000 CS 3100 CS 3200 CS 6000	color analyser cpl. with probe 500 VA 750 VA 1500 VA Color – Star automat	9600 9601 9602 9603	1.082,- 1.217,- 1.340,- 2.487,-	
Micro Focus Finder Pro	Grain focuser, 10 x magnification, heavy duty aluminium, 35x98mm - surface mirror, hinged mirror cover, high quality coated glass elements, 3 lenses in 2 groups, with 30mm diameter, adjustable diopter compensation, pivoting eyepiece ca 210°, with metal helical mount, eyepiece cap, Dimensions/weight: ca 170x75x160mm, ca 800gr	15500	330,-	 

<i>type</i>	<i>description</i>	<i>cat.no.</i>	<i>net ex works prices in EURO</i>	
reproduction column	repro 1 (1150mm/4,6kp) stable repro column with 8 ball - bearings, automatic brake, camera arm in different lengths, baseboard, manual or motorized height setting, div. types and lengths	4600	from 554,-	
automatic enlarging easels	E 30 24x30cm (10x12") E 40 30x40cm (12x16") E 50 40x50cm (16x20") E 60 50x60cm (20x24") E 70 50x70cm (20x28") E 80 60x80cm (24x32") E 100 70x100cm (28x40") 4 levelling feet	9510 9513 9514 9514.1 9515 9516 9517	457,- 572,- 625,- 792,- 860,- 1.190,- 2.199,- 56,-	
enlarger table <u>Model I:</u> baseboard 55x86x4 <u>Model II:</u> baseboard 80x90x4 <u>Model III:</u> baseboard 100x120 others on request	<u>manual</u> Model I Model II <u>motorized</u> Model I Model II Model III	130100 130200 130250 130300 130400 130500	1.730,- 2.520,- 3.413,- 2.362,- 3.350,- 4.145,-	
Archival washers W 30 -5/10 W 30 Air-5/10 W 40 -5/10 W 40 Air -5/10 W 50 -5/10 W 50 Air -5/10 W 60 -5/10 W 60 Air -5/10 W 70 -5/10 W 70 Air -5/10 W 110 - 5 W 110 Air - 5 W 110 ² Air - 5 W 135 upon request	paper size 24x30 cm (10x12") " 30x40 cm (12x16") " with Auto-Air 40x50 cm (16x20") " with Auto-Air 50x60 cm (20x24") " with Auto- Air 50x70 cm (20x28") " with Auto- Air 80x110 cm (32x44") " with Auto- Air 110x110cm (44x44") " airpump,only for "air"-systems (reduces water consumption from 6 liter/ min to 2 liter / min waterfilter (filter power ca. 3µ) filter extra print lifting stick	14000 / 14001 14002 / 14003 14005 / 14010 14105 / 14110 14205 / 14210 14305 / 14310 14405 / 14410 14505 / 14510 14605 / 14610 14705 / 14710 14805 14905 15105 14910 14911 from W110 14912 14914 14916	357,- / 550,- 860,- / 1.150,- 525,- / 725,- 1.023,- / 1.345,- 688,- / 966,- 1.345,- / 1.665,- 1.092,- / 1.396,- 1.480,- / 1.838,- 1.265, / 1.570,- 1.775,- / 2.126,- 3.600,- 4.615,- 6.358,- 95,- 105,- 194,- 34,- 16,-	
accessories				
film sheet washer	8x10" holder 8x10"	15050 15051	299,- 58,-/ea	
drying press P50/65 P55/70 P80	50 x 65 cm without sheets " with 2 Al-sheets 55x 70cm without sheets " with 2 Al-sheets extra: 1 high glossy sheet P50 1 high glossy sheet P55 60x80cm with 2 AL-sheets	15100 15110 15200 15210 15115 15215 15300	1.076,- 1.176,- 1.323,- 1.423,- 173,- 184,- 2.888,-	
KIENZLE SERVICE	repair / maintenance: old Kienzle enlargers other brands, for example: Agfa,de Vere ,Durst,Leitz and others		upon request	

KIENZLE PHOTOTECHNIK
DIPL.ING.WOLFGANG KIENZLE
FOCKENBRUNNEN 11
72218 WILDBERG
GERMANY

PHONE: 0049/7054/8436 FAX:0049/7054/8539

EM@IL: KIENZLE-[PHOTOTECHNIK@T-ONLINE.DE](mailto:KIENZLE-PHOTOTECHNIK@T-ONLINE.DE)

INTERNET: www.KIENZLE-PHOTOTECHNIK.DE
www.ENLARGER.DE
www.KIENZLE-PLASTICS.COM
www.KIENZLE-PLEXIGLAS.COM
www.KIENZLE-METAL.COM