

+5% surcharge since  
1.7.2018

## pricelist photographic

# KIENZLE

**enlargers \* horizontal enlargers (HV)**

**\* light heads and automatic filter modules \*automatic enlarging easels**

**\*reproduction columns \* projectiontables \*washers\* drying press**

**\* micro focus finder pro \* accessories for all Kienzle and foreign enlargers**

(see separate pricelists)

## Enlargers

### C-types



type	description	light system	cat. no.	net ex works prices , in EURO				
				C 67 100VA	C 69 100VA	C69 250VA	C120 100VA	C 120 250VA
<b>C67</b> <b>C69</b> <b>C120</b>	highly efficient compact 6x7cm/6x9cm/ 4x5"-enlargers in metal constructions: modular systems for color, multigrade, black and white and cold light systems; interchangeable mixing chambers; negativ carrier inserts from three sides; quick fitting bayonet type panel, quick fitting glass- and metallglass- less; 100/250/340 VA head, without lenses, timer and analyser:additional price	condensor halogen-coldlight vc color vcc split-vc cvc LED-Split	12000- 4 12005- 9 12010-14 12015-19 12020-24 12025-29 12030-34 12035-39 12040-44	1.210,- 990,- 1.105,- 1.105,- u.reque. 2.225,- 1.345,- 2.750,-	1.545,- 1.315,- 1.415,- 1.415,- u.r. 2.495,- 1.655,- 3.075,-	1.875,- 1.640,- 1.745,- 1.745,- u.r. 2.865,- 1.985,- ---	2.230,- 2.145,- 2.220,- 2.220,- u.r. 3.080,- u.r. 3.695,-	3.430,- 3.290,- 3.440,- 3.440,- u.r. 4.550,- u.r. 4.890,-
<b>C138</b>	highly efficient compact 5x7" enlarger in metal construction; modular system for color, multigrade, black and white and cold light systems 250/340/500/750 VA heads	condensor halogen-coldlight vc color vcc split-vc LED-Split	12100-2 12110-2 12120-2 12130-2 12140-2 12150-2 12160	4.030,- 3.565,- 3.975,- 3.975,- u.r. 5.360,- 6.270,-	4.920,- 4.410,- 4.960,- 4.960,- u.r. 6.380,-	5.610,- 4.995,- 5.870,- 5.870,- u.r. 7.290,-		
<b>C252</b>	highly efficient compact 8x10" enlarger in metal construction; modular system for color, multigrade, black and white and cold light systems 250/500/750/1000/1500 VA heads	condensor halogen-coldlight vc color vcc split-vc LED-Split	12300-3 12310-3 12320-3 12330-3 12340-3 12350-3 12360	6.100,- 4.150,- 4.560,- 4.560,- u.r. 5.940,- 7.160,-	7.090,- 5.140,- 5.570,- 5.570,- u.r. 7.020,-	10.030,- 6.830,- 8.690,- 8.690,- u.r. 10.510,-	11.500,- 8.300,- 10.670,- 10.670,- u.r. 11.980,-	

**A-types**




type	description	light system	cat.no.	net ex works prices, in EURO				
A 35	24x36mm--autofocus enlarger, cpl. with Componon S2,8/50 lens	condensor	1000	1.239,-				
		vc	1001	1.498,-				
		color	1002	1.498,-				
		cvc (color + vc)	1003	1.632,-				
		vcc/pcc	1003.1-2	3.931,-				
		split-vc	1003.3	2.431,-				
A 67	6x7cm-enlarger, manual focus (Manual) ; autofocus Apo 90 + S 50 (AF I) or Apo 50 + Apo 90 (AF II ) 100VA	condensor 6x6	2100-2102	1.211,-	<b>manual</b>	<b>AF I</b>	<b>AF II</b>	
		sw-diffuse 6x7	2103-2105	1.275,-				
		vc 6x7	2106-2108	1.464,-				
		color 6x7	2109-2111	1.464,-				
		cvc (color +vc)	2112-2114	1.604,-				
		vcc/pcc	2115-2117	3.753,-				
		split-vc	2118-2120	2.582,-				
A 69S	AF II 6x9cm-autofocus enlarger with 60 + 100mm - lenses in spiral screw mount simultan swivelturret. 100 oder 250VA	condensor 250VA	3100		<b>100 VA</b>	<b>250VA</b>		
		color	3101-1.1	4.870,-		4.500,-		
		vc	3102-2.1	4.870,-		5.245,-		
		vcc/pcc	3103- 04	-		7.500,-		
		split-vc	3105-5.1	5.725,-		6.050,-		

**T-types**



T 35	24x36mm-enlarger,wall projection, fan, manual focus (Manual); autofocus with S 50 or Apo 40 - lens ( AF )	condensor	6050-51	<b>manual</b>	<b>AF</b>			
		b+w diffuse	6060-61	1.179,-	1.754,-			
		vc	6070-71	1.251,-	1.821,-			
		color	6080-81	1.431,-	2.000,-			
		cvc (color + vc)	6090-91	1.431,-	2.000,-			
		vcc/pcc	6095-96	1.559,-	2.128,-			
		split-vc	6095-96	3.605,-	4.174,-			
				6097	2.500,-	3.050,-		
T 67/69	6x7 / 6x9 cm- enlarger, distortion, neg. carrier with masking, wallprojection, 250 VA, fan, manual focus ( Manual); autofocus S 50 + WA 80 mm lenses ( other lenses upon request), ( 67 AF II up to 6x7cm) ; ( 69 AF II up to 6x9cm); AF I upon request; ( 69 AF II up to 6x9cm); AF I upon request	condensor 6x7	6300-6303	<b>T 67</b>	<b>67 AF II</b>	<b>T 69</b>	<b>69 AF II</b>	
		condensor 6x9	6310-6313	1.720,-	3.610,-	-	-	
		sw-diffuse 67/69	6315-6318	-	-	1.949,-	5.441,-	
		color 67/69	6320-6323	1.640,-	3.733,-	1.840,-	5.328,-	
		digitalcolor 67/69	6330-6333	1.890,-	4.010,-	2.467,-	5.949,-	
		vc 67/69	6340-6343	2.240,-	4.364,-	3.250,-	6.744,-	
		digital-vc 67/69	6350-6353	1.890,-	4.010,-	2.467,-	5.949,-	
		vcc/pcc67/69	6360-6363	2.240,-	4.364,-	3.251,-	6.744,-	
		split-vc	6363-6366	4.190,-	6.174,-	5.130,-	8.610,-	
				3.090,-	5.182,-	3.290,-	7.185,-	



type	description	light system	cat. no.	net ex works prices, in EURO				
				manual	AF II	motor	PCC I	PCC II
T 912	4x5"-enlarger; distortion, wallprojection u. r., 400VA, fan; manual focus (Manual); autofocus 60 + 120 mm lenses ( AF II- AF I u. r. ); motorized lens + high setting ( Motor ); pc-controlled with autofocus + format-setting ( pcc I ); dto + aperture control system included ( pcc II )	condensor	7300-7304	4.725,-	10.740,-	6.480,-	14.650,-	20.300,-
		sw -diffuse	7310-7314	4.150,-	10.200,-	5.980,-	--	--
		color	7320-7324	4.905,-	10.890,-	6.640,-	--	--
		digitalcolor	7330-7334	6.510,-	12.380,-	8.030,-	--	--
		vc	7340-7344	4.905,-	10.890,-	6.640,-	--	--
		digital-vc	7350-7354	6.510,-	12.380,-	8.030,-	--	--
		vcc	7360-7364	u.r.	14.800,-	10.360,-	--	--
		pcc	7370-7374	u.r.	14.800,-	10.360,-	18.530,-	24.180,-
		split-vc	7380-82	7.280,-	13.060,-	8.710,-	--	--
		T 1318	13x18cm (5x7")-enlarger: distortion, wallprojection, freestanding equipment u. r. ; 750 VA, fan; manual focus + heightsetting ( Manual); motorized lens + heigh setting (Motor); pc-remote-control with autofocus + format setting (PCC I); dto + aperture control system included a.s.o. ( PCC II )	condensor	8300-8303	8.297,-	11.477,-	18.979,-
sw-diffuse	8310-8313			6.174,-	11.133,-	18.646,-	--	--
color	8320-8323			8.297,-	13.256,-	--	--	--
digitalcolor	8330-8333			9.462,-	14.421,-	--	--	--
vc	8340-8343			8.297,-	13.256,-	--	--	--
digital-vc	8350-8353			9.462,-	14.421,-	--	--	--
vcc	8360-8363			13.764,-	18.728,-	--	--	--
pcc	8370-8373			13.764,-	18.728,-	26.236,-	33.831,-	--
split-vc	8380-81			11.403,-	16.362,-	--	--	--
T2525	25x25cm/10x10"(12x12") enlarger; distortion,wallprojection,freestanding equipment u.r.; 750 or 1500 VA; fan; manual focus + height setting(Manual); motorized lens + height setting(Motor); pc-keyboard controled with autofocus + format setting (pcc I); dto + aperture control system included a.s.o. (pcc II)			condensor	8400-8403	13.713,-	20.569,-	30.544,-
		sw-diffus 750VA	8405-8408	9.974,-	16.831,-	26.805,-	40.856,-	--
		sw-diffus1500VA	8410-8413	11.221,-	18.077,-	28.046,-	--	--
		color 750VA	8415-8418	11.518,-	18.374,-	--	--	--
		color 1500VA	8420-8423	14.118,-	20.979,-	--	--	--
		digitalcolor 750VA	8425-8428	12.821,-	19.682,-	--	--	--
		digit.color1500VA	8430-8433	15.364,-	22.221,-	--	--	--
		vc 750VA	8435-8438	12.087,-	18.374,-	--	--	--
		vc 1500VA	8440-8443	14.118,-	20.979,-	--	--	--
		digital-vc 750VA	8445-8448	12.821,-	19.682,-	--	--	--
		digit.-vc 1500VA	8450-8453	15.364,-	22.221,-	--	--	--
		vcc 750VA	8455-8458	18.062,-	24.913,-	--	--	--
		vcc 1500VA	8460-8463	21.349,-	28.210,-	--	--	--
		pccC 750VA	8465-8468	18.062,-	24.913,-	34.892,-	47.703,-	--
		pcc 1500VA	8470-8473	21.349,-	28.210,-	38.185,-	50.985,-	--
		split-vc 750VA	8474-75	15.536,-	22.397,-	--	--	--
split-vc 1500VA	8477-78	18.454,-	25.310,-	--	--	--		
LED Split	8480	11.030,-	--	--	--	--		

**Testrefle**



TR 66	Manual (Testreflex) 6x6cm-enlarger, manual focusing with testreflexsystem; without lens; predestinated to schools	condensor	5000	465,-
		with filterdrawer (vc + colour)	5001	555,-
		VC(12V/100VA)	5002	795,-
		SplitVC	5003	1.795,-




## Horizontal enlarger (HV)



type	description	light system	cat.no.	net ex works prices, in EURO			
				Manual	Motor I	Motor II	PCC(u.r.)
T 25 HV	25x25cm/10x10" (12x12") horizontal modular enlarging system; manual focus + chassis drive (Manual) ; lens stage and chassis motor driven (Motor II); motorized lens stage + manual driven chassis (Motor I).; pc-keyboard controled with autofocus + format setting ( PCC I ) ; + aperture control system included a.s.o. (PCC II);PCC u.r.	cond. 300VA b+w .difuse color digitalcolor vc vc-digital vcc pcc (u.r.) split-vc	8600-8603 8610-8613 8620-8623 8630-8633 8640-8643 8650-8653 8660-8663 8670-8673 8675-8678	18.135,-	23.680,-	29.220,-	
				14.395,-	19.940,-	25.480,-	
				17.885,-	23.430,-	28.970,-	
				19.380,-	24.925,-	30.465,-	
				17.885,-	23.430,-	28.970,-	
				19.380,-	24.925,-	30.465,-	
				26.560,-	32.105,-	37.645,-	
				u.r.	u.r.	u.r.	
				23.065,-	28.610,-	34.150,-	

## Digital Imaging



<b>Quick Pix</b>	Kienzle Quickpix digital reprostand	47-999 47-1000	from 1.820,00 from 3.560,00
<b>Digiprint</b>	Kienzle Digiprint Digital exposure system for all photographic materials		upon request

## Accessories and Others

<i>type</i>	<i>description</i>	<i>cat.no.</i>	<i>net ex works prices, in EURO</i>	
negative carriers	for all neg. sizes: -glassless carriers -carriers with interchangeable inserts -cropping carriers		upon request	
glasses	-glasses Anti-Newton, frosted -normal glasses, blank, clear -scanner glasses		upon request	
glassless metal negative inserts	all sizes		upon request	
lenses	Rodenstock - lenses Schneider – lenses up to 360mm		upon request	
timer K1 timer K2 timer K3  timer A100 timer A101 timer A102  foot switch	electronic timer without probe 500 VA 750 VA 1500 VA  electronic timer with probe 500 VA 750 VA 1500 VA	9550 9551 9552  9553 9554 9555  9560	264,- 328,- 385,-  349,- 410,- 467,-  55,-	
analyser Color-Star CS 3000 CS 3100 CS 3200 CS 6000	color analyser cpl. with probe 500 VA 750 VA 1500 VA Color – Star automat	9600 9601 9602 9603	1.031,- 1.159,- 1.277,- 2.369,-	
Micro Focus Finder Pro	Grain focuser, 10 x magnification, heavy duty aluminium, 35x98mm - surface mirror, hinged mirror cover, high quality coated glass elements, 3 lenses in 2 groups, with 30mm diameter, adjustable diopter compensation, pivoting eyepiece ca 210°, with metal helical mount, eyepiece cap, Dimensions/weight: ca 170x75x160mm, ca 800gr	15500	315,-	 

type	description	cat.no.	net ex works prices in EURO	
reproduction column	repro 1 (1150mm/4,6kp) stable repro column with 8 ball - bearings, automatic brake, camera arm in different lengths, baseboard, manual or motorized height setting, div. types and lengths	4600	528,-	
automatic enlarging easels	E 30 24x30cm (10x12") E 40 30x40cm (12x16") E 50 40x50cm (16x20") E 60 50x60cm (20x24") E 70 50x70cm (20x28") E 80 60x80cm (24x32") E 100 70x100cm (28x40") 4 levelling feet	9510 9513 9514 9514.1 9515 9516 9517	435,- 545,- 595,- 755,- 820,- 1.130,- 2.095,- 53,-	
enlarger table Model I: baseboard 55x86x4 Model II: baseboard 80x90x4 Model III: baseboard 100x120 others on request	<u>manual</u> Model I Model II Model II <u>motorized</u> Model I Model II Model III	130100 130200 130250  130300 130400 130500	1.650,- 2.400,- 3.250,-  2.250,- 3.190,- 3.950,-	
Archival washers W 30 -5/10 W 30 Air-5/10 W 40 -5/10 W 40 Air -5/10 W 50 -5/10 W 50 Air -5/10 W 60 -5/10 W 60 Air -5/10 W 70 -5/10 W 70 Air -5/10 W 110 - 5 W 110 Air - 5 W 110 <sup>2</sup> Air - 5 W 135 upon request	paper size 24x30 cm (10x12") " 30x40 cm (12x16") " with Auto-Air 40x50 cm (16x20") " with Auto-Air 50x60 cm (20x24") " with Auto- Air 50x70 cm (20x28") " with Auto- Air 80x110 cm (32x44") " with Auto- Air 110x110cm (44x44") "  airpump, only for "air"-systems (reduces water consumption from 6 liter/ min to 2 liter / min waterfilter (filter power ca. 3µ) filter extra print lifting stick	14000 / 14001 14002 / 14003 14005 / 14010 14105 / 14110 14205 / 14210 14305 / 14310 14405 / 14410 14505 / 14510 14605 / 14610 14705 / 14710 14805 14905 15105  14910 14911 from W110  14912  14914 14916	340,- / 525,- 820,- / 1.095,- 500,- / 690,- 975,- / 1.280,- 655,- / 920,- 1.280,- / 1.585,- 1.040,- / 1.330,- 1.410,- / 1.750,- 1.205, / 1.495,- 1.690,- / 2.025,- 3.430,- 4.395,- 6.055,-  90,- 100,-  184,-  32,- 15,-	
accessories				
film sheet washer	8x10" holder 8x10"	15050 15051	285,- 55,-/ea	
drying press P50/65  P55/70  P80	50 x 65 cm without sheets " with 2 Al-sheets 55x 70cm without sheets " with 2 Al-sheets extra: 1 high glossy sheet P50 1 high glossy sheet P55 60x80cm with 2 AL-sheets	15100 15110 15200 15210 15115 15215 15300	1.025,- 1.120,- 1.260,- 1.355,- 165,- 175,- 2.750,-	
KIENZLE SERVICE	repair / maintenance: old Kienzle enlargers other brands, for example: Agfa, de Vere ,Durst, Leitz and others		upon request	

KIENZLE PHOTOTECHNIK  
DIPL.ING.WOLFGANG KIENZLE  
FOCKENBRUNNEN 11  
72218 WILDBERG  
GERMANY

PHONE: 0049/7054/8436 FAX:0049/7054/8539

EM@IL: KIENZLE-[PHOTOTECHNIK@T-ONLINE.DE](mailto:KIENZLE-PHOTOTECHNIK@T-ONLINE.DE)

INTERNET: [www.KIENZLE-PHOTOTECHNIK.DE](http://www.KIENZLE-PHOTOTECHNIK.DE)  
[www.ENLARGER.DE](http://www.ENLARGER.DE)  
[www.KIENZLE-PLASTICS.COM](http://www.KIENZLE-PLASTICS.COM)  
[www.KIENZLE-PLEXIGLAS.COM](http://www.KIENZLE-PLEXIGLAS.COM)  
[www.KIENZLE-METAL.COM](http://www.KIENZLE-METAL.COM)